Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

- 1. (Currently amended) A method for deuteration of a compound having an aromatic-benzene ring, comprising reacting the compound having an optionally substituted aromatic-benzene ring with a heavy hydrogen source in the presence of an activated mixed catalyst eomprising at least two eatalysts selected from the group consisting of a palladium catalyst[[,]] and a platinum catalyst[[,]] a rhodium eatalyst, an iridium catalyst, a ruthenium eatalyst, a niekel eatalyst, and a cobalt eatalyst under sealed reflux condition.
- (Original) The method for deuteration according to claim 1, wherein the heavy hydrogen source is a deuterated solvent.
- 3. (Original) The method for deuteration according to claim 2, wherein the deuterated solvent is heavy water (D₂O).
- 4. (Currently amended) The method for deuteration according to claim 1, wherein the activated mixed catalyst is a catalyst obtained by activating a-mixed eatalyst emprising at least two catalysts selected from the group of non-activated catalysts consisting of a palladium catalysts. [[.]] and a platinum catalysts[.]] arhodium catalyst, an iridium catalyst, a ruthenium catalyst, a nickel catalyst, and a cobalt catalyst by contacting the non-activated catalysts with hydrogen gas or heavy hydrogen gas.
- 5. (Original) The method for deuteration according to claim 4, wherein the contact of the non-activated mixed catalyst with hydrogen gas or heavy hydrogen gas is carried out in a reaction system of the deuteration.

- 6. (Cancelled)
- (Currently Amended) The method for deuteration according to claim [[6]]1, wherein the palladium catalyst is palladium carbon.
- (Currently Amended) The method for deuteration according to claim [[6]]1, wherein the platinum catalyst is platinum carbon.
- 9. (Currently Amended) The method for deuteration according to claim [[6]]1, wherein the activated mixed catalyst of a palladium catalyst and a platinum catalyst has a weight ratio of each metal in the palladium catalyst and the platinum catalyst of 1:99 to 99: 1.
- 10. (Currently Amended) The method for deuteration according to claim 1, wherein the compound having an optionally substituted aromatic benzene ring has at least one optionally substituted alkyl group bonded to the aromatic benzene ring.
- 11. (Currently Amended) The method for deuteration according to claim 1, wherein the compound having an optionally substituted aromatic benzene ring has an alkylamino group bonded to the aromatic benzene ring.
- 12. (Currently Amended) The method for deuteration according to claim 1, wherein the compound having an optionally substituted aromatic-benzene ring has a carboxyl group bonded to the aromatic-benzene ring.
- 13. (Currently Amended) The method for deuteration according to claim 1, wherein the compound having an optionally substituted aromatic-benzene ring has at least one optionally substituted alkenyl group bonded to the aromatic-benzene ring.